P4c

(G. R. S. 58]
Previous references
Mlhs-08, 144
297-08 1
542 07 12
(10) 07 1
Later references 1 19
Rl 363 1940 (142)

1960 (Rul)

File No 357
Serial Nos 1-19

GENERAL AND REVENUE SECRETARIAT

Serial Nos 1—19

Part B for April 1911

SUBJECT

Water Supply to Midigese town

From the comptroller no 4813 of 20/2/09 Requesting to refer to para 3 of GO of the 4th Jan 09 that the rate of interest on the loan sanctioned to the midigese Subdy and the number of years in which the loans re payable may be intimated to him and that the source of revenue which the municipality would assign for the repayment of the loan may be ascertained and intimated to him
To the Head of Mches Hadn Dist no 8608 of 2/3/09. Forwards the above and requests him to submit the midigese Mpl Board's resolution as to the Executive Engineer's

GPB—5,000—23-10-10

revenue which Hazipur would accrue for the use of the loan and the instalments in which it would be paid

3 From the Resident of Mysore Kadur dist no 337/ States with reference to above that the Ex Engr has been requested to prepare a project for supplying the town and on receipt of the project the particulars called for above will be submitted

4 From the same Office no 3388 16/3/09 Stat the Ex Engineer, Kadur Division Statesmat project has been ordered to be prepared by Ex Engineer Water-Supply & Stores Divisio Bangalore and requests that the preparation same may be caused to be expedited

5 In the chief Engineer no 9598 29/3/09, forwards Sl may and requests that the Ex Engineer Water & and Stores Divn be directed to expedite the sub of the project referred to

6 From the chief Engineer no 2702 8-6/4/09 States work in connection will be undertaken after all important projects in hand are completed

7 Docket no 10529 23/4/09 to the chief Engineer Engineers When the project for the water to Hazipur town may be caused to be prepared and completed

8 Letter no 3701 8/5/09 from the chief Engineer in reply that there is no objection to the water supply project for Hazipur town in accordance with the above projects must of necessity have to be and that the Ex Engineer however reports that

R.S 11] 1908.-09

GENERAL AND REVENUE SECRETARIAT

(Bud)

NOTES

File No 357-08 D

FILE HEADING

~~Loan to the Municipality of Mudigere Town.~~

Water Supply to Mudigere Town.

From

The Comptr

No. 6813 Dated 20-2-09 Received 22-2-09

Diary No 5779 Enclos — Spare Copies — Serial No 1

BRIEF ABSTRACT OF LETTER.

Requests with reference to para 3 of G.O. No. 6165-7/Rud 321-07-4 & 4-1-09 that the rate of interest on the loan sanctioned to the Mudigere Municipality and the number of years in which the loan is repayable, may be intimated to him and that the source of revenue which the Municipality would assign for the repayment of the loan may be ascertained and intimated to him.

NOTES AND ORDERS

In G.O. No. 6165-7/Rud 321-07-4 & 4-1-09 Govt sanctioned the water-supply project of the Mudigere Town at a cost of Rs 15,000. Half the cost being met from the State funds and a sum not exceeding the other half being granted as a loan to the Municipality on

NOTES—First sheet

G.P.B.—10,000—3-1-07

Serial No

And the Comptr was asked to provide funds for the work in the next year's budget. He now requests to be informed (1) of the rate of interest to be charged on the loan, (2) of the number of years in which the loan is repayable and (3) the sources of revenue from which the Municty would repay the loan

2. The usual rate of interest charged on loans granted to Municties is 4% and the period within which they are repayable is 20 years It is open to the Municty to repay the loan earlier if it chooses so to do Branch II has to be consulted in the matter

3. As regards the sources of revenue to be assigned for the repayment of the loan ~~the Municty Board of Madgarai~~ the President may be asked to obtain and submit the Municl Board's opinion in the matter. Draft submitted

Obtg 4 Issue
25/2/09 26 2 09 Nil

25 To the Pres[t] of Municties, Madura District - A° 8608/Jnl 357-08-2 & 3-3-09

Forwards Cl nos 1 and requests him to submit the Madgere Municl Board's opinion as to the specific sources of revenue which they would assign for the repayment of the

Contn sheet

Serial No.

instalments in which it would be repaid

3. From the Pres^t of Municipality, Chitradurga
No 3378/11 3-09

States with refce to St. No 2 that the Ex: Engr has been requested to prepare a project for the water-supply of the Town, and that on receipt of the project the particulars called for above will be submitted.

4 From the same officer No 3388/16-3-09

States that the Ex: Engr, Hadri Division, states that the project has been ordered to be prepared by the Ex. Engr, Water-supply and Stores Division, Bangalore, and requests that the preparation of the same may be caused to be expedited.

5 The Pres^t states that the amount of the loan will have to be determined after the project is ready. The information required by the Compt^r cannot therefore be now furnished. In the meanwhile the Chief Engineer may be asked to expedite the preparation of the project Draft submitted

Issue
23/3. 24 3 09

5 To the Chief Engineer No 9398 & 29-3-09

Forwards copy of St. No 4 and requests that the Ex: Engr, Water-supply & [illegible] Bmg,

Serial No

be directed to expedite the submission of the project referred to

6 4 From the Chief Engineer No 2702 6-4-09

States that the work in question will be undertaken after other important project in hand are completed

12 The water supply scheme to Rudsgere has already been sanctioned but the project is not yet ready. The Ch Engr says that the Water-supply Ex. Engr. will take up the preparation of the project after completing the important projects he has already in hand

Submitted for orders

Bln 15/4 13 The Chief Engineer may be asked when the preparation of the project may be expected to be taken up Please put up draft

16 4 09 Mll II

14 Draft put up

Bln 17/4 15 Issue

19 4 09 Mll

7 16 Docket No 1052 9 dated the 23d April 1909 to the Chief Engineer

Engineer when the project the water supply to Rudsgere is expected to be [illegible]

sheet

GPB—50,000—18-5-08

Serial No

5 (1) Letter No 3701 dated the 8th May 1909 from the Chief Engineer—

States in reply that there is no special staff for getting up the water supply project for more than one or two items in a year, that there are 4 such projects much of necessity await their turn, and that the Ex. Engineer however prefers that he should be allowed to begin the preparation of the project for Mandagere in August next—

6/A (2) Letter No 6578 dated the 7th May 1909 from the Comptroller.

Refers to his first letter (of 1 cover) and requests to be furnished with information called for.

(3) From the Chief Engineer's letter (Pl. 8) it is clear that the project cannot be executed before August next. The Board have already stated that they cannot furnish the information required by the Comptroller as regards the loan to be advanced to them till the amount of the project is communicated to them. The Comptroller may therefore be informed that the water supply project has not yet been prepared and that the

Serial No.

information required will be furnished from after the project is ready. Draft submitted.

20 No reply need it is submitted, the draft to Chief Engineer, both the projects may be simply forwarded.

yes

21 Issue

17.5.09

9 22 Docket No. 1636 dated the 25th May 1909 to Commissioner

State, in reply to remit Q.A., that the required information with the furnished after the projects shall have been received from the Chief Engr.

60 23 Letter No. 2014 dated the 6th June 1909 from the Chief Engineer

Submits memo dated 4th by the Ex. Engineer, Madras Subdy and Storm &c., proposing two alternative schemes for the water supply to Triplicane, and states that whichever scheme may be ordered to be adopted will be elaborated and proceeded with.

24. The file may, it is submitted, be forwarded to the Sanitary Commissioner to G for favour of opinion.

25 A copy of the Chief Engineer's letter

Serial No.

and the enclosures may be forwarded to the Central Sanitary Board for favour of opinion.
1st Crs. 20-10-09 [illegible]

26
85
4.10.09
Please obtain the opinion of the President of the Municipalities & the Municipal Council of Mudgee on the several schemes for water supply outlined by the Exec Engr Water supply & Stores Dn
[illegible]
21/10/09

27 Put up draft
21.10.09 [illegible]

28 draft submitted.
29 Issue
27 10-09 [illegible]

30 Docket No 3969 dated the 6th Nov 09 to Dy: Comr
Forwards herein Copys of Chief Engrs letter and the Ex Engineer's memo in Enquiry for being placed before the Munl. Board for opinion

31 Letter No 9059 dated the 2nd Dec 09 from the Chief Engineer
Requesting

Note—Contn. sheet

GPB—15/70—4-4-8

Serial No.

Requests that early orders may be passed on the scheme as there is a provision of Rs. 2500/- therefor in the current year's budget.

32 A Copy of the Chief Engineer's proceedings may be forwarded to the Dy. Com^r in Continuation with a request to expedite his reply in the matter. Draft submitted

Pending 33 Issued
a/12 13-12-09

18 34 Docket No. 5180 dated the 18th Dec^r 1909 to the Dy. Com^r, Kadur 982

Forwarded Copy of 12 in Continuation and requests the Dy. Com^r to expedite the report called for in cereal 11

18 35 Letter No. 388 dated the 7th April 1910 from the Dy. Com^r.

Stating, in reply, that none of the schemes prepared by the Ex. Engineer, Water Supply and Sewerage for the Water Supply to the Mudigere Town is capable of adoption by the Municipality, some being unsuited to the conditions of the natural streams while others being beyond the means of the Municipality and that all that can be done at present is to Recommend the sinking wells and pipe 8 or 10 feet wells

G S. M. P. and Berars Secretariat

File No. 35 of 1909

7386 9

wells at an aggregate outlay of about Rs 80007- and requests sanction to a grant-in-aid of Rs 40007- from State Funds in lieu of the society of any elaborate scheme that may be prepared for the town.

26 In the circumstance, the order of the 4th Jan. 1909 will have to be withdrawn in favour of the Deputy Commissioner's present application which means less burden on State Funds

Submitted for orders with reference to para 26 supra

MAS 31/7 10/12/1910

37 The file may be forwarded unofficially to the Chief Engineer for favour of remarks on the objections raised by the President for adopting any of the schemes outlined by the Executive Engineer, Water Supply and Stores Divn, and also for favour of opinion on the President's proposal to deepen the existing wells and sink a few more -

1st (Cr) 20 6-10 JMW

This was the conclusion I arrived

1885

Contn sheet 4

GPB—55/1 N—27 4-09

S. 12]
ural and Revenue Secretariat.

hl File No. 357 of 1908

93 b

Serial No.

as when the Scheme was first broached. I have recorded my opinion somewhere & cannot find it in the files now put up. I advised the sinking of more wells & the abandonment of a Water supply Scheme for a small town with only 1600 inhabitants the opinion of the Chief Engineer may be invited

HBH
23/4/10

Put up draft
28-4-10 HBH

Draft submitted.

Issue
2-5-10 HBH

41 Letter No 10144 dated the 9th May 1910 to the Chief Engineer

Forwarded Copies of the Dy. Commissioner's letter (2 Nos) and its enclosures for opinion.

42 Letter No 10344 dated the 10th December 1910 from the Chief Engineer

Contn sheet.

GPB—55,8.11—27.4.09

10/12

Serial No.

States, in reply, that he is at one with the Dy. Com.r in thinking that the idea of any costly scheme of water supply should be abandoned, that his suggestion for deepening the existing wells and sinking new ones may be adhered to and that a grant-in-aid of half the amount required for the purpose by the Municipality (subject to a limit of Rs 4000/-) may be given from the money set apart for this work in the current year's Budget.

43 Submitted for orders

MES (50) 14/12/10 sig 44 The Sanitary Comr may be consulted unofficially and final orders passed after obtaining his opinion

1st Cr 16 12.10 MES

1726 20 12 10

45 This may be done BKN

20/12/10

46 Forwarded to the Sanitary Comr for favour of opinion

By order

K Nagarao

20 12.10 for Secy -

w no 582 31-12-10

GPB—30,000—12-8-10

12]
and Revenue
tariat

ml File No 35 of 1909

Serial No

47 I agree with the Chief Engineer the wells should be provided with pumps

3 / 11

for Sanitary Comr

48 Submitted for orders A grant in aid of Rs 40000/ from State Funds to the Municipal Funds is involved Br II will have to be consulted.

7 / 1911 49 Forwarded to Br II for kindly stating whether there is any objection to sanction the grant asked for -

535

9 / 11

10/1/11

50 Submitted

No 36 10/1/11 51 I have put up the Statement of extra additional expenditure

11/1/11

The Statement is put up now

No 36 12/1/11 52 53 Short Local for General that Generals will bear the Cost of Drinking Water wells

11/1/11 If the Council that head bear the charges in question.

3 V. I V II 16

— Contin sheet

3 13

File No 35 of 1909

Serial No

54 The L^t General do not generally bear the cost of drinking water wells. The charge in the case of wells sunk or repaired in municipal areas is a legitimate charge on the funds of the municipal Council concerned & in non-municipal areas on the funds of the D^t Board within whose area the works are executed. On special occasions such as the time of Scarcity grants are sanctioned from the L^t General for drinking water wells

TJ 6 Cong
18/4/11

55 In Govt order dated 6th Jan 1909, a grant of half the cost of the water supply project to Mudajere was promised from the State Funds - The cost of the project was estimated at Rs 15,000. That project is now abandoned and it is decided to sink some more wells within the municipality and also to deepen the existing ones and - for this purpose, the Chief Engineer recommends a grant in aid

— Contn sheet

GPB—60,000— 12-8 10

[R S. 12]
neral and Revenue Secretariat.

Serial No.

53

Subd

There is no marking in the file & in-structions are awaited as to the next steps

Put 20/1/11

May this be sent

Br IV ?

md 20/1/11

Measured this letter

Br IV

57 Subd md 19/1/11

58 The draft part has previously been seen by the Municipal

Note.—Contin. sheet.

R S 12]
General and Revenue Secretariat

ML File No 387 of 1909

Serial No

35

undertaking a big water project far beyond its powers and that promise cannot, it seems to me, be enforced for getting Contributions for sinking a few Drinking water wells or though a Municipality the finances are little better than those of a DL Bd and such as Local Bds generally are sometimes known under Contributions for finding means to sink Drinking water wells, it may be done so now also In the present ~~Hab~~ Condition of the finances no practical aid from State funds is possible

4/6/11

~~Mr Kelly~~

5g The Mudgee Municipality has a balance of about Rs 5000/- As the work proposed is not the construction of Water works but simply of improving and sinking wells it may be taken up gradually as funds permit out of the balance and the savings of future years. At present the annual receipts of the Municipality equal the expenditure but to throw the whole thing on them would be an incentive to increase revenue & control expenditure. At any rate there is money enough in the M

NOTE—Contn sheet

BPG—55000—7/10

G R S. 12]
General and Revenue Secretariat.

Jud. File No. 387 of 1909

Serial No.

435

undertaking a big loan for a project far beyond its powers and most promise Government, it seems to me, be enforced for letting Contributions for sinking a few Drinking wells only. Although a Municipality the finances are little better than those of a Rural and that as local Fund finances are sometimes levied under Contribution for sinking wells to furnish Drinking water wells, it may be done so now also. In the present state Conditions of the finances no provision can from State Funds is promised.

E. G. H.

(Public Health Engr.)

59 The Madura Municipality has a balance of about Rs 50000/- As the work proposed is not the construction of water works but simply of improving and sinking wells it may be taken up gradually as funds permit out of the balance and the savings of future years. At present the annual receipts of the Municipality equal the expenditure but to throw the whole thing on them would be an incentive to increase revenue & control expenditure. At any rate there is money enough in the Municipal balance

NOTE—Contn sheet.

BPG—53,000—27-4-09

Serial No

is taken up the most pressing part of the work. [illegible]

[illegible]

60 Submitted with the opinion of the Financial Branch

[illegible] 61. Please put up draft to the President enquiring why the work of deepening the existing wells and of sinking more wells may not be taken up gradually as municipal funds become available and also out of the balance to the credit of the municipality

26-1-11 [illegible]

62. Draft of a letter to [illegible] issue

[illegible]
30 / 1911 31 / 1 / 11 [illegible]

17 To the Dy Com[missioner], Kaira No 6518 of 3 2-11

Enquires why the work of deepening the existing wells and of sinking more wells may not be taken up gradually and of the balance to the credit of the

Note—Contn. sheet

(C. R. S. 12)
General and Revenue Secretariat

Ind File No. 357 of 1908

57"1

17

Serial No.	
	Municipality and no Municipal funds become available.
16	From the President of Madhia, Kadur Dt. No 336 dated 26-2-10.
	States that in accordance with the views of Govt, the estimate amounting to Rs 1635/ have been sanctioned by him for deepening the 4 existing wells and that after this is done, the sinking of new wells will be taken up having regard to the availability of funds at the credit of the Muncy
	Submitted draft proceedings stating that the proposed observations be made in the draft that application for additional funds may be 3.4.11 remitted after the Board's resources are exhausted.
	Draft submitted for approval or other orders
	1st Cr) 6-4-11 Ille
2637 6-4-11	Approved 6/4/11
	Issue 12-4-11 Ille
19	From the President of Municipality Kadur Dt No. 6585 of 16-4-10. States that the application for a grant-in-aid maybe rejected as the resources of the Municipality are sufficient

Note.—Contn sheet.

GPR—60,00.—12-8-10

D.5779

1

that in future on the subject the of this letter and letters below the given opposite may be

No 4813
Le 1010

OFFICE OF THE COMPTROLLER, MYSORE GOVERNMENT,

Dated Bangalore, the 25 February 1909

FROM

J S CHAKRAVARTI, ESQ, MA, FRAS, etc,
Comptroller to the Government
of His Highness the Maharaja of Mysore

To

C.S. Balasundaram Iyer ESQ, B A,
Secretary to the Government of Mysore
General and Revenue *Departments.*

SIR,

S Adverting to Government Proceedings No 6165-7/ML. 321-07-4 dated 4th January 1909 sanctioning a loan not exceeding Rs 7,500/- to the Mudgere Municipality to meet the cost of the water supply project for the town, I have the honor to request that you will be so good as to intimate the rate of interest and the number of years in which it is repayable

I also beg to invite reference to para 3 of Government Proceedings No FL.8065-77/ML 246-05 dated 23rd May 1906 and to request that the source of revenue from which it is proposed to repay the loan may be ascertained and kindly intimated

I have the honor to be,
Sir,
Your most obedient servant,

J S Chakravarti
Comptroller

_____ Department.

190

From

J S CHAKRAVARTI, Esq.,
M.A., F.R.A.S., etc.,
Comptroller to the Govt. of
H H the Maharaja of Mysore.

To

_____ Esq.,
Secretary to the Govt. of Mysore,
_____ _____ *Dept.*

Dated

Despatched

Received

No. _____

Subject-matter

_____ _____

S ement showing additional permanent expenditure sanctioned since 1905-06

Total permanent recurring expenditure sanctioned (in round thousands)	
1905-06	1,38,000
1906-07	2,53,000
1907-0	1,96,000
1908-0	3,25,000
1909-10	69,000
Total for five years	9,81,000

1910-11

Head		Amount
2	Land Revenue	1296
4	Excise	120
8	Stamps	12
14	Palace	4,00,000
15	Gl Administration	180
18	Education	3780
20	medical	84
21	Scientific & Depts	2292
	Total	407.764

26] V

File No. 357

Serial No. 9

No of letter replied to 5779.

No 8608 Sec
Rev 357-08-2
8 3 09.

1 and Revenue Secretariat
(Rev)
, the 190

To The President of Municipalities,
Kadur District

Date of issue 9-3-09

Signed by [illegible]

In forwarding herewith copy of letter No 4813/1010 dt 20-2-09 from the Comptr to the Govt of H H the Maharaja of Mysore anent the loan sanctioned to the Mudgere Municipality in connection with the water-supply project for that town, has the honor to request the Pres[ident] to be good enough to obtain and submit the Mudgere Municipal Board's resolution as to the specific sources of revenue which they would assign for the repayment of the loan and the [illegible] By Order

usual 4½ per annum rate of interest charged

Forley
1 AT,

SUBJECT

C/1078
1/3/09
MR/3

List of enclosures

Copies to

Transmitted by

GPO—[illegible]—ao-p.m.

170.

1908-09

From The President
Mysore Civil & Mily Station Bangalore

To The Secretary to the Govt of Mysore
Genl & Rev Depts

Dated 11th
Despatched 16th } March 1909
Received

General No 337
No

Enclosure No nil

Stating that the Executive Engineer Kadur Division has been requested to prepare a project for the water-supply of the Municipal Town

D6443

Office of the President, Municipal
Boards, Kadur District
Dated: Birth Kadur, 11th March 1909

From

K R Srinivasa Iyengar Esquire, M.A.,
President, Municipal Boards, Kadur District

To

C S Balasundaram Iyer Esquire, B.A.,
Offg Secretary to the Government of Mysore,
General and Revenue Department

ml 357-08
SL-1

Sir,

With reference to your docket-No 8605 —
ml 357-08-2 dated 3rd march 1909 forwarding a
copy of Comptroller's letter No 4813/1010 dated 20th
February 1909 regarding the loan of Rs 7500/- sanctioned
to the Budugere Municipality in connection with
the water supply project for that town, and re-
questing me to obtain and submit the Budugere
Municipal Board's resolution as to the specific
sources of revenue which they would assign for
the repayment of the loan and the instalments
in which it would be repaid, I have the honor
to state that the Executive Engineer has been
requested to prepare a project for the watersupply
of the town. Until the project is got ready,
it will not be possible to say what will be
the exact amount of the Municipal moiety
thereof, which it will have to obtain for a loan
from Government after the preparation of the
project.

project, the amount of loan required by the Municipality will be determined and the annual instalment payable by the Municipality in discharge of the loan will then be calculated and the sources from which the amount of such instalment will have to be met will be decided on and reported to Government

I have the honor to be

Sir

Your most Obedient Servant

G Hermann Lee

for President Municipal Board

Kaduna District

Asst

D6522

1908

From

The President of Municipal Council Dhotwal

To

The Secretary to Government,
Genl and Rev Depts
Bangalore

Dated 16th } March 1909
Despatched 18th }

Received

General No 338
No

Enclosure No nil

Requesting to cause the preparation of the Water supply project to the tune of Albuerge to be expedited by the Executive Engineer at Hubly and Store Division Bangalore

6

Office of the President Municipal
Board, Kadur District-
Dated Chikmagalur, 16th March 1909

From

K R Srinivasa Iyengar Esqre, M A.
President, Municipal Board, Kadur District

To

C S Balasundaram Iyer Esqre, B A,
Secretary to the Government of Mysore,
General and Revenue Departments

ml 357-08
SL-4

Sir,

In continuation of my letter No. 337 of the 11th instant re the water-supply project to the town of Aburdugere, I have the honor to state that the Executive Engineer, Kadur Division states that the project is ordered to be prepared by the Executive Engineer, Water supply and Stores Division, Bangalore, and to request that the preparation of the same may be kindly caused to be expedited

I have the honor to be,
Sir,
Your most obedient Servant,

G. Hanumantaiah
for President, Municipal Board,
Kadur District

To

GRS 26] 1+1

Secs

File No 357/08

Serial No 5

No of letter replied to 6443/6522

No 9398
ml357/08
29.3.09

Land Revenue Secretariat
(ml)
190

To The Chief Engineer,

Date of issue 29.3.09

Signed by MKM.

Sir,

In forwarding herewith copy of letter No 338 of 16.3.09 from the Pres. Dt. Inter, Kadur Dt, re preparation of the project for the water-supply to the Mudigere Town, I am directed to request you to be so good as to issue instructions to the Ex. Engr., Water-supply & Stores Division, to expedite the preparation of the project.

I have, &c.

WMD
for Secy.
12.3.09.

22/3 Conf'd 24/3/09

SUBJECT

List of enclosures

Copied by

Examined by

GPB—10,000—20-4-03.

27/28 8

No 2702

MYSORE P W DEPARTMENT
CENTRAL OFFICE,
Bangalore, 6th April 1909

From

W McHUTCHIN, Esq., M.I.C.E.,
Chief Engineer of Mysore,
Bangalore

ml 357-08
Sl-6

To

K.S.Chandrasekara Iyer Esquire, B.A., B.L.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments

SIR,

With reference to your letter No 9398/Pl 357-08-5 of the 29th ultimo, requesting that instructions be issued to the Executive Engineer, Water Supply and Stores Division, to expedite the preparation of the project for the water supply to the Mudi ere town, I have the honor to inform you that this work will be undertaken after other important projects in hand are completed

I have the honor to be,
Sir,
Your most obedient servant,

Captain R.E.,
Deputy Chief Engineer

MYSORE P W DEPARTMENT

No

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

Dated Bangalore,

Despatched

Enclosure No

SUBJECT

Sur 242/08

File No 357/08

Serial No 7

[illegible]

No of letter replied to 7128

No 10529
ml 357-08-
9234 09

and Revenue Secretariat
(ml)
, the 190

To

The Chief Engineer

of issue 2344 09

by WRKM

His letter No 270286-4-09 stating that the preparation of the water-supply project of the Mudgere Town will be taken up by the Exe. Engr Water-supply and Stores Division, after other important projects in hand are completed

---

Referring to the above, I have the honor to request that the Chief Engineer will be so good as to state when the preparation of the project may be expected to be taken up and completed.

By Order
WRMS
for Secy

SUBJECT

21/4. 21/4

List of enclosures

Copied by

Examined by

GPO--20,000--20-8.08

D 8011

It is requested that in future on the subject the date of this letter and the letters below the number as given opposite may be quoted.

No 6537/8 1325

OFFICE OF THE COMPTROLLER, MYSORE GOVERNMENT,

Dated Bangalore, the 7 *May* 1909

FROM

J S CHAKRAVARTI, ESQ, MA, FRAS, etc,
Comptroller to the Government
of His Highness the Maharaja of Mysore

To

K S. Chandrasekhara Aiyar Esq, B A, B L,
Secretary to the Government of Mysore
General and Revenue *Department*

ml 3 5-7-08

SIR,

I have the honor to invite attention to this office letter No 4813/Loans 1010 dated 20th February last requesting to be favoured with information as regards the terms of the loan granted to the Mudgere Municipality and the source of revenue from which it was proposed to repay the loan, and to request the favour of an early reply to the above

I have the honor to be,

Sir,

Your most obedient servant,

For Comptroller

AR

Department

1907

From

J. S. CHAKRAVARTI, Esq.,
M.A., F.R.A.S., etc.,
Comptroller to the Govt. of
H. H. the Maharaja of Mysore

To

Secretary to the Govt. of Mysore,
General and Revenue Depts

Dated

Despatched 7 May 1908.

Received

No. 6578

Subject-matter

Requesting details in regards the Excise proceeds of the Mudigere Taluk.

10

MYSORE P W DEPARTMENT

CENTRAL OFFICE,

No 3791

BANGALORE, 8th May 1909.190

From

THE CHIEF ENGINEER OF MYSORE, D8064

BANGALORE

To

K.S. Chandrasekhara Aiyar Esquire, B.A.,B.I.,

Secretary to the Government of

His Highness the Maharaja of Mysore,

General and Revenue Departments.

SIR,

With reference to your No. 10529 / Ml. 357-08-8 of the 23rd ultimo, enquiring when the preparation of the water supply project of the Mudgere town may be expected to be taken up and completed, I have the honour to inform you that we have no special staff for getting up the water supply projects for more than one or two towns in a year, and that the less important projects must of necessity await their turn.

2. The Executive Engineer reports that he expects to begin the preparation of the project for Mudgere in August next, as by that time the water supply projects for Nanjungud and Chennapatna should be completed, and the Jewell Filter Installation at Bangalore would be approaching completion and he will then be able to spare hands for getting up the project.

I have the honor to be,

Sir,

Your most obedient servant,

M I C E ,

Chief Engineer of Mysore

A. P. R

1907

MYSORE P W DEPARTMENT

No

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore

To

The Secretary to Govt,
General & Revenue Depts
Bangalore

Dated Bangalore, 8/6/07

Despatched

Enclosure No

Subject

Stating that the preparation of the Water Supply project of the Mysore town will be taken up as an urgent work

G R S 29A]

1909 Aug 11

From

~~Secy~~ **to the Govt of His Highness**
The Maharaja of Mysore,
Genl and Rev Dept

To The Comptroller,
Mysore Govt

Dated

Despatched 20.5.09

Received 11636

General No

No mL357-08-9
ENCLOSURE No

His letter No 65-78/1353
dated the 7th May 1909 Encl
requesting to be furnished
with certain information
about the loans to be
advanced to the Municipalities
Municipalities in pursuance
of G O No 6165-7 dated the
6th January 1909 mL321-07-6

Has the honour to
state ~~observe~~ that the water rate
projects for which G. I.

~~with~~ intended to work get
ready and that (~~in~~
~~the absence of the project~~
~~has not been received of~~
~~Headquarters, Ft. Leavenworth~~
to) the information asked
for with be furnished soon
after the project shall have
been received from the
Chief Engineer

By order

Jewell

For Lieut

5/14/07

Chf
1915

cmtd 11/1915

Mysore Rly Department
Central Office 12

Camp No. 204 Camp Kunnur 6th October 09

From,

G Srinivasa Rao Esq. B.A.
Chief Engineer of Mysore

To,

The Secy to the Govt of Mysore
Genl & Revenue Depts
Bangalore.

Mil 3 Fl-08
Fl-10

Sir,

Adverting to Government Proceedings No. 6165-7/Mub 321-07-4 of the 4th January 09 and with reference to correspondence ending with this office No. 6921 of the 16th ultimo, regarding the preparation of a project for the Water Supply to the town of Mudgere, I have the honor to forward the enclosed Copy of memo dated the 17th ultimo, drawn up by the Executive Engineer, Water Supply Division No. on the different alternative proposals he has considered in connection therewith Government have sanctioned the preparation of a project for the Water Supply.

P.T.O.

town at an estimated cost of Rs 15,000

(1) The Pumping Scheme proposed by the Executive Engineer is likely to cost Rs 14,500, but the cost of annual maintenance, leaving out provision for sinking fund not taken into account by the Executive Engineer, will be Rs 206 or 1,572 for 8 months

(2) The Gravity Scheme

(a) for an open Channel from Lattu to the supply reservoir in town - estimate Rs 18,332

(b) for glazed pipes instead of an open Channel estimate Rs 27,086

(c) for cast iron pipes instead of an open channel Estimate Rs 32,798

(d) for masonry duct instead of an open Channel Estimate Rs 41,687

The annual maintenance Charges are put down at Rs 650

II Considering the Municipal revenue which is only Rs 1,954 on an average for the past

15

5 years (including 1909-10), I am of opinion that the Gravity Scheme (2(a)). estimated at Rs 8,322. is the only suitable one the maintenance charges may not run above Rs 500. An open Channel may be objected to by the Sanitary Commissioner on Sanitary ground, but the municipal revenue is too poor to bear the maintenance charge of a Pumping Scheme

Whichever Scheme may be ordered to be adopted will be elaborated and provided with

I have the honor Sir,
Your most obed[t] Servt

Jeminada
Chief Engineer & Secretary

HS

Irrl 11/10 K.
1909

242
58

W
Irrl
11/10

No: C 2012

Encl. 1

From D 2556

The Chief Engineer of Mysore

To

The Secretary to Govt.,
Genl & Rev: Depttt

Bangalore 6th Oct: 09

Forwarding a memo on water supply to the town of Mysore.

Sm 95/09 16

556 vide

G R.S 29A]

1909-1910

From

Secy. to the Govt. of His Highness
The Maharaja of Mysore,
Genl. and Rev Dept.

To The Sy-Comr
Kadur Dy

Dated

Despatched 6-11-09

Received

General No 3969

No ml 357-08-17 Enclosure No

In forwarding herewith a Copy of the Chief Engineer's letter No 2024 dated the 5th October 1909 and the Map [originally] the Executive Engineer's memo received therewith in the matter of the water supply to the town of Sringeri, has the honour to request that the same may be returned to the Sringeri Survey Office

GPE—10,000—9-4-06

The returned when done with.

for Jefferson and a copy
of the Resolution submitted
together with his own
opinion on the subject

"by order"

Purdie
11/26/70

No 9059

MYSORE P W DEPARTMENT 18

CENTRAL OFFICE,

Bangalore, 4th December 1909

From

M Visvesvaraya Esq ,M I C E ,

[redacted],

Chief Engineer of Mysore

Bangalore

D-3824

To

C S Balasundaram Iyer Esq ,B A ,

Offg Secretary to Government

of His Highness the Maharaja of Mysore,

General and Revenue Departments

SIR,

MC 357-08

I have the honor to invite attention to this office Camp No 204 of the 6th October 1909 submitting for the orders of Government copy of Memo dated 17th September 1909, drawn up by the Executive Engineer, Water Supply and Stores Divi-sion, on the different alternative proposals considered in connection with the water supply to the town of Mudgere and recommending for adoption the gravity scheme estimated to cost Rs 18,322, and to request that you will be so good as to obtain the early orders of Government on the question, as there is a provision of Rs 7,5[illegible] for the work in the current year's P W Budget

I have the honor to be,

Sir,

Your most obedient servant,

Deputy Chief Engineer

for [illegible] of Mysore

GPB—2 500—24 9 0.

MYSORE P W DEPARTMENT

No

From

THE CHIEF ENGINEER OF MYSORE.

Bangalore

To

Dated Bangalore,

Despatched

Enclosure No

SUBJECT

Sen 95
09 19

G R S 29A]

1909. 1910

From

Secy to the Govt of His Highness
The Maharaja of Mysore,
Genl and Rev Dept

To The Dy: Comr Kadur &c.

Dated 6 12 09

Despatched

Received

General No 5780
No Lr 357-08-13

Enclosure No

In Continuation of
this Office Docket No 3969
Lr 357-08-11
dated the 6th instant copy
in the matter of the water
supply to Mudigere, have
the honour to forward here-
with for information copy
of Chief Engineer's letter
No 9059 dated the 1st
instant copy requesting that
early orders on the question
there being a proposal

Rs 750/

GPB—10,000—9 4 06

Rs 7500/- in the current
year's budget for
the work and to request
that other requests in the
matter may be expedited.

"By order"

Secretary
Executive Engineer
Dy. 10.12.07

Memo 5781 dt 16.12.07

Copy forwarded to Chief
Engr of Mysore for
information. "By order"

Secretary
for Executive
Engineer

From

The President of Municipalities,
Kadur District.

To

The Secretary to the Government
of Mysore,
General and Revenue Departments.

Dated

Despatched 7th April 1917. Bangalore

Received

General No. 888

No.

Enclosure No. 3

Recommending the Government to make a grant-in-aid not exceeding Rs 4000/- to enable Municipality in the matter of water supply

---

H A 736

Office of the President of Municipalities
Kadur District, Chikmagalur.
Dated the 7th April 1910.

FROM

K.R.Srinivasa Iyengar Esquire, M.A.,
President of Municipalities, Kadur District.

TO

C.S.Balasundaram Iyer Esquire, B.A., Ml 357-08/1/14
Offg. Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir,

With reference to your docket No.3969/Ml.357-08-10 dated 6th November 1909 forwarding a copy of Chief Engineer's letter No.204 dated the 6th October 1909 in the matter of the water supply to Mudigere and requesting that it may be referred to the Mudigere Municipal Board for opinion and a copy of their resolution submitted together with my opinion on the subject, I have the honor to submit herewith a copy of the resolution arrived at by the Mudigere Municipal Board on the subject at a meeting held on 5th January 1910. It will be seen that the -- Board has expressed its agreement with a memo drawn up by the local D.P.W.Sub Division Officer and submitted to the Board for its consideration. In this memo, the Sub Division Officer has explained that the gravity scheme with glazed Mangalore pipes which has been estimated by the Executive Engineer, Water --- Supply and Stores Division, to cost Rs.27,086/- may with certain modifications be reduced to about Rs.18,000/- and he has pointed out ways and means for repayment by the Municipality of the loan of a moiety of the above amount which may be advanced to it by Government.

2. The various schemes referred to in the letter of the Executive Engineer, Water Supply and Stores Division, having

been

been investigated and their cost calculated by a duly qualified and competent officer, I think that the Board was not justified in rejecting the figures and basing their resolution on the information supplied and the suggestions made by the D.P.W.Sub Division Officer, Mudigere and that in consequence it is not possible to attach much weight to the resolutions of the Board on the subject.

3. I have studied the question of water supply to Mudigere carefully myself and have been obliged to arrive at the opinion that none of the schemes proposed by the Executive Engineer, Water Supply and Stores Division, are suited to the conditions and finances of the Mudigere town. Of the 2 schemes the gravity scheme and pumping schere, proposed by the Executive Engineer, taking first the gravity scheme, it is seen that four projects have been got up under this head. Of these, the Chief Engineer is of opinion that considering the Municipal revenue of Mudigere, the open channel project is the most suitable one for the place. With the greatest respect to the view of the Chief Engineer, I am obliged to state that in my opinion the open channel, besides being liable to contamination as pointed out by the Executive Engineer, Water Supply and Stores Division, is absolutely unsuited to the conditions of the malnad where it is liable to be overgrown with weeds and silted and choked up in a single season and its constant repair and upkeep will result in endless trouble and expense to the Municipality. The Executive Engineer of Kadur whose opinion was sought for by me has also expressed himself against the open channel scheme as being likely to prove a failure in the malnad. The Chief Engineer has in recommending the scheme, apparently been chiefly influenced by financial considerations, but owing to the above mentioned serious objection against it, I think it will not

prove

prove to be of much good and might, perhaps, result in a waste of money and I am therefore unable to recommend its adoption.

4. As regards the adoption of pipes, either stoneware or cast iron, the Executive Engineer, Water Supply Division, is opposed to either of them on the ground that with a pipe line of such a small size as 3" in diameter and 3½ miles in length, the pipes are liable to be choked up owing to sedimentation and incrustation, and in the face of this objection, it is impossible to advise adoption of either of these two schemes.

5. The masonry duct will certainly be useful but the cost of it amounting to Rs.42,000/- is prohibitive and is far beyond the means of the Municipality, the population of which isonly about 1675 and the annual income of which does not exceedRs.2000/-.

6. Coming now to the pumping scheme which is considered by the Executive Engineer, Water Supply and Stores Division, as most suitable and which is therefore recommended by him for -- adoption, its initial cost is estimated at Rs.14,500/- and the annual maintenance charges at Rs 2,016/- per year. As already observed, the annual income of the Municipality does not exceed Rs.2,000/-, and it cannot, even with the utmost effort onits -- part, set apart more than half this amount or Rs 1,000/- for meeting the above maintenance charges as also for the repayment of the loan and as this does not go even half way to meet the above charges, I think this scheme too must be left out of consideration and given up as not being feasible.

7 It will be thus seen that of the different alternative schemes got up by the Executive Engineer, Water Supply and Stores Division, some are unsuited to the comditions of the malnad and the others are beyond the means of the Municipality and that in consequence none of the schemes are capable of adoption by the Municipality.

8. In the absence of any hopeful scheme at a moderate cost, I think that theonly course left open for the Municipality is to fall back on wells and see what can be done by way of improving the existing wells and sinking some more wells wherever necessary and advisible. At present there are 7 public wells in the town as shown in the enclosed statement, but most of them either run dry or contain very little water in the hot months of the year. The Municipality may well for the present devote its attention to the deepening of these wells and the excavation of 3 or 4 additional wells in suitable localities. Recently, the Forest Department has excavated a good well 60 feet deep in the Ranger's quarters at a cost of about Rs 1200/- and it is reported to contain 10 feet of excellent water at present. This shows that if only the existing wells in the town as also the new wells to be sunk are deepened sufficiently without minding the extra cost, there is every prospect of securing a good supply of water from these wells, quite sufficient for theneeds of the town which containing as it does, not more than 1675 inhabitants, does not require a costly and an elaborate scheme of water supply. The deepening of the existing wells and the excavation of 3 or 4 more new wells may cost about -- seven or eight thousand rupees, and I would recommend that the Government may be graciously pleased to make a grant-in-aid of half this amount - not exceeding Rs.4000/- - to the Municipality instead of bearing the moiety of the cost of any --- elaborate and expensive scheme that may be prepared for the place.

I have the honor to be,

Sir,

Your most Obedient Servant,

S. Chakrapani Ayyar

President of Municipalities,

Kadur District.

A.N.

824

Memo on Mudiyppa Water Supply

(2) The Gravity Scheme

(a) For an open channel from Tank to the supply reservoir in Town Estimate Rs 18328/-

(1) In restoring the Katte, the provision of 20 Units have been made for evaporation and percolation for one year In these parts of heavy rains the stream will be — perennial from May to November, so as to — maintain F S L in these 7 months and so the wastage may be calculated for 6 months alone (ee) 12½ Units the Capacity of the tank may be reduced from 31 Units to 18½ Units and F S L from R L 225-00 to 222 00.

In W L is taken 4' above F S L, which may be reduced to 2', as the site is favourable on both sides to have the required length of Natural weir Heavy excavation can be utilised for the bund earth work and the

top

16

bed of bund can be raised 5' above F.S.L.

In adopting the above proposals the Estimate for restoring the Kalla may be reduced by 1/3 of its original estimate —

18322 x 2/3 = 8 3-4 8.

2. The cost for glazed Mangalore pipes is Rs 3-6 per 100 of 4" in diameter and 2' long each, in Basel mission.

Adding the cartage (Rs 16) and fixing charges including the excavation and filling (2 yards deep the earth 3/4 yd. wide, will cost as -0-1-6 per R ft = 19 Rs for 200') and building masonry cistern 2 for every furlong to clear silt from the pipes and fixing pipes for 200' = Rs 9 and so for one foot length of piping the rate will be 0-8-0 For 3 1/2 miles the cost will be Rs 9240/-. By taking the pipe line in some what deeper cuttings

and

and on banks for which the country is favourable about a mile length of the channel may be reduced, that means a Savings of Rs 2500/- which is available for Town distribution as per late Captain Dawes's items.

3 The gravity scheme with modified glazed pipe line and Town supply reservoir may be adopted at a cost of Rs 18000/ and this project is not in need excess of Rs 1500/- sanctioned by the Government

4 As for the Annual maintenance - This requires very little maintenance but daily inspection of the pipe line to remove silt in valves, which can be easily managed by the Permanent Establishment of keepers (7 in number) — Supervised by the Sanitary Inspector and Rs 120/- may be alloted for any necessary repairs annually as recommended by the late Captain Dawes, Deputy Chief Engineer

Thus

This amount can be met from the general Savings

5 As to the repayment of the loan of Rs 9000/- ca 1/2 of the amount of the estimate. Now there is a balance of Rs 5000 nearly on the 1st April end of Novem for current expen paid towards the loan and there a a loan on this a

6 The income of this municipality for 1908-09 is Rs 2122/- The Permanent Establishment costs Rs 1334/- as detailed below

1 Vice Presidents Office Establishment with contingency ——— Rs 168 per annum

2 Shanbhogues Pittigay — Rs 50 — Do —

3 Conservancy ——— Rs 904 — Do —

The length of municipal roads may be written 1 1/2 mile

7 1 Male head coolly at Rs 8/ = 8
4 Do —— Rs 7/-28
3 Female —— Do —— Rs 5/=15
1 Scavenger ——— Rs 10/- 10
1 Dodda Servant —— Rs 6/= 6

per mensem Rs 67/- 99

4 1/4 the pay of Sanitary Inspector 132-

5 Lighting — —— 780

1834

and so the balance available for works
- Rs 788/-

From this Rs 2881- may be retained for Annual maintenance of roads and water supply (168+120) and the rest Rs 509 towards the repayment of Loan

7 In case the Sewage has to be attended which can be deferred till the Town is thickly populated which can only be expected when proper water supply is maintained the following economy and additional income can be prepared

Under Germans

Establishment —

can be easily reduced - for in this Taluk there is not much work in the District Funds nor Municipal Funds, and so one clerk can easily manage the accounts and office works of both and also, it is hard in this Malnad to live on Rs 12 or 15 per mensem and so Local Fund clerk may be paid Rs 5/- as allowance from the Municipal Funds to look after this work We had not the Sanitary Inspector hitherto, and so the clerk had the additional works of estimating and preparation of bills &c, but this work is done by the Sanitary Inspector on both the Local Fund and Municipal Fund works thereby we will be able to save Rs 100/- per annum.

Additional taxation - Weekly market may be taxed as all the other Municipalities have done, which may give us Rs 300/-

per

per annum and so Rs 400/- can be allotted for improvements of Drains and roads in the municipality

8 Early sanction to the proposal is earnestly solicited

sd/ H Narasimha Iyengar
Sub Divisional officer

Copy

sd/

President Municipalities
Kadur District

ಸಬ್ - ಡಿವಿಜನಲ್ ಆಫೀಸರ್ ಮತ್ತು ಸಹಾಯಕ ಶಸ್ತ್ರಚಿಕಿತ್ಸಕರ ಹುದ್ದೆಗಳನ್ನು ಸೃಷ್ಟಿಸುವ ಬಗ್ಗೆ -

ಮೈಸೂರು ರಾಜ್ಯದಲ್ಲಿ ಜಿಲ್ಲಾ ಆಸ್ಪತ್ರೆಗಳ ಪರಿಷ್ಕರಣೆಯ ಸಮಯದಲ್ಲಿ 1910ನೇ ಇಸವಿಯಲ್ಲಿ ಮಾಡಿದ ಆದೇಶ

ಮೈಸೂರು ಸರ್ಕಾರವು ಸಬ್ - ಡಿವಿಜನಲ್ ಆಫೀಸರ್ ಮತ್ತು ಸಹಾಯಕ ಶಸ್ತ್ರಚಿಕಿತ್ಸಕರ ಹುದ್ದೆಗಳನ್ನು ಸೃಷ್ಟಿಸಿದೆ

ಆದೇಶ

1 Sub Divisional Officer ಮತ್ತು

2 Sub Assistant Surgeon.

3 ಮೈಸೂರು ಪ್ರಾಂತ್ಯದಲ್ಲಿ ಇರತಕ್ಕದ್ದು.

4 ಮಿಂಚಿನಹಳ್ಳಿಯಲ್ಲಿ ಮಿಂಚಿನಚಾವಡಿಯಲ್ಲಿ ಇರುವುದು

5 Sub Registrar

× × × × ×

4 ನಮ್ಮ ಕಾರ್ಯದರ್ಶಿಗಳಾದ ಎಸ್. ಶೇಷಗಿರಿ ಅಯ್ಯಂಗಾರ್ ಅವರಿಗೆ ಬರೆದ ಪತ್ರ ಸಂಖ್ಯೆ 123 17-12-09 ಮತ್ತು ಅದರ ಜೊತೆಯಲ್ಲಿ ಕಳುಹಿಸಿದ ಪತ್ರಗಳಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ

(1) ಅವರು ಸೆಂಟ್ರಲ್ ಕಂಟು Central Reservoir ನಲ್ಲಿ ಮೀನುಗಳನ್ನು ಸಾಕಲು ಅನುಮತಿ ಕೇಳಿದ್ದಾರೆ ಅದಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ ಅವರಿಗೆ ಈ ಕೆಳಕಂಡ ಷರತ್ತುಗಳ ಮೇಲೆ ಅನುಮತಿ ನೀಡಲಾಗಿದೆ ಎಂದು ತಿಳಿಸಿ

(2) [illegible] ಅಭಿಪ್ರಾಯ ಯಾವುದೇ ಕಾರಣದಿಂದ
ಕಾಲ ಮೀರಿಯಾದರೂ ಸರಿಯೆ ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರಿಯು
ಆಗಿಂದ ಆಗಲೆ ಕಾಲಕಾಲಕ್ಕೆ ಅಭಿಪ್ರಾಯವನ್ನು ತಿಳಿಸಬೇಕೆಂದು
ಕೇಳಿಕೊಳ್ಳುವುದಾಗಿ ಮನವಿ ಮಾಡಿಕೊಳ್ಳಲಾಗಿದೆ.

(3) ಸಂಬಂಧಪಟ್ಟ ಸಂಸ್ಥೆಯವರು ಕಾಲಕಾಲಕ್ಕೆ ಕಾಲಾವಕಾಶ
ಮೀರಿಯಾದರೂ (ಕಾರ್ಖಾನೆಯಿಂದ ಕೇಳಿಕೊಂಡಿರುವ ಕೆಲಸಗಳನ್ನು
ಹೊರತು ಪಡಿಸಿ) ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರಿಯವರು
ಅಭಿಪ್ರಾಯವನ್ನು ಕೊಡದಿದ್ದಲ್ಲಿ ಅಂತಹ ಸಂಸ್ಥೆಗಳಿಗೆ ಕೊಡಬೇಕಾದ
ಲೈಸೆನ್ಸ್ ಅಥವಾ ಪರವಾನಿಗೆಯನ್ನು ಕೊಟ್ಟಿರುವುದಾಗಿ ಅಭಿಪ್ರಾಯ
ಮಾಡಿಕೊಂಡು ಕೆಲಸ ಮಾಡಿಕೊಳ್ಳಲು ಅನುಕೂಲವಾಗುವಂತೆ
ಮಾಡಿಕೊಳ್ಳಲಾಗಿದೆ.

ಈ ಬಗ್ಗೆ ಸಂಬಂಧಪಟ್ಟ ಎಲ್ಲ ಅಧಿಕಾರಿಗಳಿಗೂ
ತಮ್ಮ ತಮ್ಮ ಅಧಿಕಾರದಲ್ಲಿ ಅ ಥವ Sub Divisional
Officer ಗೆ ಸರಿಯಾಗಿ ಅಭಿಪ್ರಾಯ ಕಳುಹಿಸಿಕೊಡಲು
ಮತ್ತು ಸಂಬಂಧಪಟ್ಟ ಸಂಸ್ಥೆಗಳವರಿಗೆ ಸಹಾಯವಾಗುವಂತೆ
ತಿಳಿಸಿಕೊಳ್ಳಲಾಗಿದೆ ಎಂದು ತಮಗೆ ತಿಳಿಸಲಾಗಿದೆ.

Sd/ K K Venkatalakshmamma Iyer
Vice President

"Extract"

[illegible]

Secretary of Municipalities
Hassan District

Statement showing the No of public wells and their description in the Mudeyara Municipality

Serial No	Locality of well	Dimension	Approximate cost	Total depth	Depth of water in the well at present	Remarks
1	Well near Post Office	6 feet in diameter	71?/-	5-3 feet	3 feet	
2	Well near Masjid in Pettah	3-1/2 Do	600/-	37-1/2 Do	3 3/4 Do	
3	Well in Agraharam	6 Do	600/-	30 Do	1/2 Do	
4	Thussaparkhana well	6 Do	543/-	48 1/2 Do	no water.	
5	Well in Samadhi Street	6 Do	150/-	16 1/4 Do	6 3/4 feet	
6	Sampige Bhavi on Mangalore road side	6 1/2 Do	209/-	9 Do	5 Do.	
7	Well in Agraharam	8 1/2 Do	150/-	14 3/4 Do	6 1/4 Do	

Chikmagalur
1st April 1910

1- [illegible]

For President of Municipality
Madras District

G.[illegible] 30]

No 357

Serial No 68/15

No of letter replied to 7386

31/5/10

29/5

No 10144

9/5/10

Land Revenue Secretariat

(Mb.)

2. the 29 4. 1910

To

The Chief Engineer of Myore

Date of issue 9/5/10

Signed by

Sir,

With reference to your correspondence ending with your letter No 9059 dated the 4th Decr 1909 relative to the water supply to Mudgere, I am directed to forward herewith a copy of letter No 388 dated the 7th April 1910 from the Dy Comr Kadur Dt, together with Copies of its enclosures, offering his opinion in the matter, and to request that you will be so good as to favour Govt with an expression of your opinion thereon.

I have &c

[illegible]

For Secy

SUBJECT

List of enclosures,

Copied by

Examined by

GPO—10,000—22-5-43

D-3837

36

Mysore Public Works Department,

No. 10344 Central Office,

Dated Bangalore, 9th December 1910

From Rl 357-05/81/16

M.Visvesvaraya, Esqr, M I.C.E,

Chief Engineer of Mysore,

Bangalore,

To

C.S.Balasundaram Iyer, Esqr., B.A.,

Offg Secretary to the Government

of His Highness the Maharaja of Mysore,

General and Revenue Departments,

Bangalore

Sir,

In reply to your No 10144/M1 357-05-15 dated the 9th May 1910 regarding water supply to the town of Mudgere, I have the honour to inform you that, on a consideration of all the issues involved, I am at one with the Deputy Commissioner in thinking that the idea of any costly scheme of water supply should be abandoned.

2 His suggestion for deepening the existing wells and sinking new ones may be approved A grant-in-aid of half the amount required for the purpose by the Municipality (subject to a limit of Rs 4,000) may be given from the money set apart for this work in the current year's Budget

I have the honour to be,

Sir,

Your most obedient servant,

C Gaillard

Chief Engineer of Mysore

MM

138-a 3357

File No 28
Serial No 7

26]

o of letter replied to 3837

No 65-28
wl 357-28
By 3-2 11

and Revenue Secretariat
(Mural)
the 19

To
The Deputy Commissioner
Kadur Dist

of issue 3.2 11

by WKMR

Sir,

Referring to your letter No 388 dt the 7th April 1910 reporting that any costly Scheme of Water Supply to the Mundy is not suitable to the Mudgere Town, the only course left open to the Municipality - is to deepen the Existing wells & sink some more wells in the

SUBJECT

Mudgere Municipality

town & recommending
that a grant-in-aid of
a sum not exceeding Rs. 2000 may be made
to the Municipality for the purpose,
undertaking the work, I
am directed to enquire
why the work of deepening
the existing wells and
sinking more wells
may not be taken up
gradually as fun Munici-
pal funds become available
~~and also out of the balance~~
~~to the credit of the Municipality~~
out of the balance
the credit of the
Municipality am

I have etc

Illegible

Illegible
30.1.1914

List of enclosures,

Copied by

Examined by

GPS—20,000—13-5-10

W43 1-4-11 13/3 D57/19

1910-11.

From
The President of Municipalities,
Kadur District, Chikmagalur.

To
The Offg. Secy. to the Govt. of
Mysore, Gen. and Rev. Departments

Dated 26th February
Despatched 5th March } 1911.
Received

General No 336
No

Enclosure No N I L

Stating that estimates have been sanctioned for deepening four of the existing wells in Mudgere Town at a cost of Rs.1635/-

- - - - -

Ml 357-08 -L 18

59

Office of the President of Municipalities,
Kadur District, Chikmagalur.

Dated the 26th February 1911.

From

K.R.Srinivasiengar Esquire, M.A.,
President of Municipalities, Kadur District.

To

C.S.Balasundaram Iyer Esquire, B.A.,
Offg. Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir.

Adverting to your letter No.65k8/Ml.357-08-17 dated 3rd Februrry 1911 enquiring why the work of deepening the existing wells and of sinking more wells in the Mudagere Taluk may not be taken up gradually out of the balance of the credit of the Municipality and as Municipal funds become available, I have the honor to state that in accordance with the above views of Government, 4 estimates amounting to Rs.1635/- have been sanctioned by me from the funds available at the credit of the Municipality for deepening 4 of the existing wells as noted in the margin. After this is done, the sinking of new wells wil be taken up having regard to the availability of funds at the credit of the Municipality. As the balance at the credit of the Municipality might not be sufficient to meet the full requirements for deepening the existing wells and sinking new wells, it was recommended

(1)	Improving well opposite to Police Station.	Rs.480/-
(2)	Improving the well at Agrahar.	496/-
(3)	Improving the well near Musafir-khana.	Rs.307/-
(4)	Improving the well in Petta.	Rs.352/-
	T O T A L	Rs. 1635/-

by

by me that a sum of Rs.4000/- might be sanctioned as a grant-in-aid out of the amount of Rs.7500/- sanctioned by Government for water-supply to Madgere Town in their order No.6165-7/Mi.321-07-4 dated 4th January 1910.

I have the honor to be,

Sir,

Your Most obedient Servant,

President of Municipalities,

Kadur District.

N

4 11

[illegible 28]

File No 257-05

Serial No 19

Diary No of letter replied to 5719

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT
(Secl.)

, the 19

Date of issue 14.4.11

Signed by MVKMR

READ—

Correspondence ending with letter No 336 dated the 26th February 11 from the President of the Municipality in the Kadur District stating that 4 estimates amounting to Rs 1635/- have been sanctioned by him from the funds available at the credit of the Municipality for defraying ½ of the cost of the works in the Municipal town as noted in the margin and that after this is done,

over

Improving well & Path to Police Station ..... Rs 480
Improving the path at Agrahar . 496
Do near Dwarakinkhana 307
Do - in Pette ... 352
Total — Rs 1635/-

SUBJECT.

[illegible]—10,000 19-4-10

the sinking of new wells will be taken up having regard to the available municipal funds and that if that as the balance at the credit of the municipality may not be sufficient to meet the full requirements for deepening the existing wells and new wells a sum of Rs 4000 may be sanctioned as a grant-in-aid and also of the amount of Rs 750 sanctioned for water-supply to Mudgere town in G O No. 6188-7/Rul 321-07 dated 4th Jan: 1910.

Order Number No. 6565
Dy 16.4.11. Rul 357-08

The application for a grant-in-aid and may be renewed after the resources of the Mudgere Municipality Board are fully utilized

For Secretary.

To

The President of the Municipality, Kadur District

... is to begin the preparation of the project for
... urgent in this regard.
Letter no 65789 7/5/09 from the Comptroller
Refers to the first letter (Cl. supra) and requests
to be furnished with information therein asked for
Docket no 11636 dt 15/5/09 to Comptroller -
States in reply to the above that the required information
will be furnished after the project shall have been
received from the chief Engineer
Letter no 2049 dt 6/10/09 from the chief Engineer
Submits memo drawn up by Irrig. Engineer, Water
Supply and ... Stores Division proposing two alternative
schemes for the water supply to mudgeerumdi states
that whichever scheme may be ordered to be adopted
will be elaborated and proceeded with
Docket no 3969 dt 6/11/09 to the Deputy Comm. (Habibganj)
forwards Copy of chief Engineer's letter and the En-
gineer's memo in original for being placed before
the Suppl. Board for opinion
Letter no 4059 dt 4/12/09 from the chief Engineer.
Requests that early orders may be passed on the scheme
... there is a provision of Rs 7500/- there for in the
... current year's budget.
Docket no 5180 dt 16/12/09 to the Deputy Comm. Habibganj
forwards copy of the above in continuation and
requests the Deputy Comm. to expedite the report
called for in ...
Letter no 3858 dt 7/4/10 from the Deputy Comm.
states in reply that none of the schemes prepared
by the Chief Engineer, Water Supply & Sewerage Board for
the water supply to the municipal town is advisable
of adoption by the municipality some being unsuited to

Conditions of the market towns which are being beyond the means of the Municipalities that can be done at present is to deepen the existing wells and sink some fresh wells at an aggregate outlay of Rs 8000/- and request to grant in aid of Rs 4000/- from State Funds in lieu of the majority of any elaborate schemes that may be proposed for the towns

15. Letter no 10114 8915/10 to the Chief Engineer forwards copies of the Deputy Comr's letter (Slip) its enclosures for opinion

16 Letter no 10344 8105/12/10 from the Chief Engineer States in reply that he is at one with the Dy Comr in thinking that the idea of any costly schema of water supply should be abandoned, & that his suggestion for deepening the existing wells and sinking new ones may be approved and that a grant in aid of half the amount required for the purpose by the municipality subject to a Limit of Rs 4000) may be given from the money set apart for the work in the current years budget

17 To the Deputy Comr Kadur Dist no 65158 8/12/11 Engineer (Slip) the work of deepening the existing wells and of sinking more wells may not be undertaken gradually as the balance to the credit of the Municipality and as Govt Funds become available

18 From the President of Municipal Kadur Dist no 3868 26/12/11 States that in accordance with the views of Govt the Commissioners amounting to Rs 1635/- have been sanctioned by them for deepening the existing 4 wells and that after this is done the sinking of new wells will be taken up having regard to the availability of funds at the credit of the Municipality

19 Do no 5585 8 1814/11 to the President of Municipal Kadur Dist States that the application for a grant-in-aid may be renewed after the resources of the municipal Board are fully utilized